

ELIPSE[®] HALF-FACE MASK + HESPA® P3 DUST (R) Filters







Encapsulation (patented technology) 645 mm; lenght of actual media in each filter

Applications - dust, mist and fumes

Welding and Grinding

Metal Fumes and Dust



Manufacturing Glass Fibres, Composite Fibres, Lead Fumes



Standards

EN140: 1998 Mask Body EN143: 2000+A1: 2006 P3 RD CE 0194

Efficiency P3 >99,95% for 0,3 µ particulate

Shelf Live

5 years (mask & filters) See storage conditions on Instructions for Use. Filters are re-usable and changeable.

Material

- Mask: Medical grade TPE Conforms to ISO 10993-10: 2010 for irritations. Mask body latex and silicone free, odour free.
- Valve Body in Nylon, Inhalation/Exhalation diaphragm in Silicone. 4 point adjustable elasticated head and neck strap with comfort pad in TPE.
- Filters: Mechanical type multi-layer HESPA Synthetic media with TPE flexible overmolded / encapsulated.

Production

United Kingdom 100% of filters NaCl Tested

	Code	Description	Quantity
	SPR299 (S/M) SPR501 (M/L)	Elipse Half Mask complete with P3 filters	10 pcs. per box
à	SPR316	Elipse P3 replacement filters	10 sets of 2 pcs. per box
-	SPM001	Elipse Dust Mask Carry Case (Belt holder)	10 sets per box
C.	SPM414	Portacount Face Fit Kit adaptor	10 sets per box

Construction

Silica Dust, Abestos, Concrete Dust, Stone Dust, Aggregate Dust, Wood Dust, Cement Dust, Mold

Food

Poultry, Powders (Dairy), Spices, Grain Dust

Mining





Pharmaceutical

Powders, Viruses

ISSUE date 05/09/17 ISSUE n. 1

GVS Filter Technology UK NFC House - Vickers Industrial Estate - Mellishaw Lane, Morecambe Lancashire LA3 3EN - tel. +44 (0) 1524 847600 - gvsuk@gvs.com www.gvs.com